## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-58 (Canceled)

## (New) A compound of formula II 59.

wherein

R<sup>1</sup> is C<sub>1</sub> -C<sub>4</sub> alkyl,

R<sup>2</sup> is benzyl, p-methoxybenzyl (PMB), trimethyl-silyl, 2-(trimethylsilyl)ethoxymethyl (SEM), tetrahydropyranyl, methoxymethyl, benzyloxymethoxymethyl, benzoyl, or acetyl,

R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl,

Y is CO<sub>2</sub>R<sup>4</sup>, CHO, CH=CH<sub>2</sub> or CH<sub>2</sub>R<sup>5</sup>,

R4 is C1-C4 alkyl or an optionally substituted benzyl group,

R<sup>5</sup> is halogen, hydroxy, p-toluenesulfonate or -OSO<sub>2</sub>B, and

B is  $C_1$ - $C_4$  alkyl or  $C_1$ - $C_4$  perfluoroalkyl.

(New) A compound according to claim 59, wherein 60.

R<sup>1</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl,

R<sup>2</sup> is p-methoxybenzyl,

R<sup>3</sup> is methyl,

Y is CO<sub>2</sub>R<sup>4</sup>, and

R4 is C1-C4 alkyl.

(New) A compound according to claim 69, wherein 61. R1 is C1-C4 alkyl,

Page 8 of 14

R<sup>2</sup> is p-methoxybenzyl, R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl, and Y is CO<sub>2</sub>-ethyl.

(New) A compound of formula VII 62.

wherein

R<sup>1</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl,

R<sup>2</sup> is benzyl, p-methoxybenzyl (PMB), trimethyl-silyl-2-(trimethylsilyl)ethoxymethyl (SEM), tetrahydropyranyl, methoxymethyl, benzyloxymethoxymethyl, benzoyl, or acetyl, and R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl.

- (New) A compound of formula VII according to claim 62 wherein 63. R<sup>1</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl, R<sup>2</sup> is p-methoxybenzyl, and R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl.
- (New) A compound according to claim 59, wherein R<sup>4</sup> is C<sub>1-4</sub> alkyl or a benzyl radical 64. which is substituted by an electron-donating substituent.
- (New) A compound according to claim 59, wherein R4 is C1-4 alkyl, p-methoxybenzyl or 65. 2,4-dimethoxybenzyl.
- (New) A compound according to claim 59, wherein R<sup>5</sup> is bromine or iodine. 66.
- (New) A compound according to claim 59, wherein R<sup>1</sup> is CH<sub>3</sub>. 67.

Page 9 of 14

- 68. (New) A compound according to claim 59, wherein R<sup>3</sup> is CH<sub>3</sub>.
- 69. (New) A compound according to claim 59, wherein R<sup>2</sup> is p-methoxybenzyl (PMB).
- 70. (New) A compound according to claim 59, wherein Y is COOR<sup>4</sup>.
- 71. (New) A compound according to claim 59, wherein Y is CO<sub>2</sub>-Ethyl.
- 72. (New) A compound according to claim 59, wherein Y is CH<sub>2</sub>R<sup>5</sup>.
- 73. (New) A compound according to claim 62, wherein R<sup>3</sup> is CH<sub>3</sub>.
- 74. (New) A compound according to claim 62, wherein R<sup>2</sup> is p-methoxybenzyl (PMB).
- 75. (New) A compound according to claim 62, wherein R<sup>1</sup> is CH<sub>3</sub>.
- 76. (New) A compound according to claim 59, wherein said compound is (5S,2Z,6E)-2,6-Dimethyl-5-[(4-ethoxyphenyl)-methoxy]-7-(2-methylthiazol-4-yl)hepta-2,6-dienoic acid-ethyl ester.
- 77. (New) A compound according to claim 59, wherein said compound is (5S,2Z,6E)-2,6-Dimethyl-5-[(4-methoxyphenyl)methoxy]-7-(2-methylthiazol-4-yl)hepta-2,6-dienol.
- 78. (New) A compound according to claim 59, wherein said compound is (5S,2Z,6E)-2,6-Dimethyl-2,3-epoxy-5-[(4-methoxyphenyl)-methoxy]-7-(2-methylthiazol-4-yl)hept-6-enol.
- 79. (New) A process for the preparation of a compound of formula IIa

## Page 10 of 14

comprising;

converting the .alpha.-hydroxy acid function with trifluoroacetic acid/methanol of (s)maleic acid (III) to methyl ester, reducing the still present acid function with diborane in tetrahydrofuran to alcohol, and converting the (S)-(-)-methyl-2,4-dihydroxyester that is obtained with p-methoxybenzyldimethylacetal to the cyclic acetal (IV),

converting the methyl ester with a C1-C4 alkyl-organometallic compound to obtain the corresponding alkyl ketone (V),

reacting the (C<sub>1</sub>-C<sub>4</sub>) alkyl ketone (V) in a Wittig reaction with the thiazolylphosphonium salt, and separating the E-isomer (VI),

converting the E-isomer (VI) by reaction with diisobutylaluminum hydride, by Swern oxidation, by Wadsworth-Homer-Emmons condensation with ethyl-2diethoxyphosphinylpropionate or by treatment with a Homer reagent that corresponds to R3,

Page 11 of 14

and/or by purification of E-isomers to the Z-α,β-unsaturated ester (IIa),

wherein

PMP is p-methoxyphenyl, and PMB is p-methoxybenzyl.--